## Product fiche pursuant to Delegated Regulation (EU) no. 65/2014

Domestic Range Hoods	Answer	Units
Supplier's Name or Trade Mark	HISENSE	
Model	CH10IN14BBUK	
Annual Energy Consumption (AEC hood) in kWh/a	49	kWh per year
- m : 1		
Energy efficiency class	Α	
Fluid Dynamic Efficiency (FDE)	28.90%	
Tidia Dynamic Emclency (102)	28.3070	
Fluid Dynamic Efficiency (FDE) class	Α	
Lighting Efficiency (LE hood) in lux/Watt	57.7	lux/W
Lighting efficiency class	Α	
Grease Filtering Efficiency	64.10%	
Grease Filtering Efficiency class	E	
	270	2.4
Air flow (in m 3 /h) at minimum and maximum speed in normal use, intensive or boost excluded	378	m3/h
If available the air flow (in m3/h) at intensive or boost setting	617	m3/h
ii available tile ali 110w (iii 1115/11) at liiterisive oi boost setting	017	1113/11
Airborne acoustical A-weighted sound power emissions (dB(A)) at minimum and maximum speed	58	dB(A)
available in normal use		
Airborne acoustical A-weighted sound power emissions (dB(A)) at intensive or boost setting	68	dB(A)
Power consumption in off mode (P o), in Watt	-	W
Power consumption in standby mode (P o), in Watt	0.29	W