Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Govee

Supplier's address: Chen Bing, 1st Floor Newmarket House, Newmarket Square, The Coombe,

Dublin 8, DUBLIN, Ireland, D08VAP9

| | | 116000 |
|---------|--------------|--------|
| MODEL | identifier: | H6093 |
| IVIOGCI | IMCIICIICI . | 110023 |

| Type | of ligh | nt so | urce: |
|------|---------|-------|-------|
|------|---------|-------|-------|


| Lighting technology used: | LED | Non-directional or directional: | NDLS |
|-------------------------------|------|---------------------------------|---------------------------------|
| Light source cap-type | - | | |
| (or other electric interface) | | | |
| Mains or non-mains: | NMLS | Connected light source (CLS): | No |
| Colour-tuneable light source: | Yes | Envelope: | - |
| High luminance light source: | No | | |
| Anti-glare shield: | No | Dimmable: | Only with spe- cific dimmers |

Product parameters

| Product parameters | | | | |
|--|---|------------------------|--|--------------|
| Parameter | | Value | Parameter | Value |
| General product parameters: | | | | |
| | mption in on- 00 h), rounded st integer | 4 | Energy efficiency class | G |
| dicating if it refe a sphere (360º) | s flux (фuse), ineers to the flux in, in a wide cone arrow cone (90º) | 50 in Sphere (360°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 6 500 |
| On-mode pov pressed in W | ver (P _{on}), ex- | 2,5 | Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal | - |
| (P _{net}) for CLS, (| candby power expressed in W the second dec- | - | Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set | 20 |
| Outer dimen- | Height | 400 | Spectral power dis- | See image |
| sions without | Width | 200 | tribution in the | in last page |
| separate con- | Depth | 250 | | |

| trol gear, lighting control parts and non-lighting control parts, if any (millimetre) | | range 250 nm to 800 nm, at full-load | |
|---|-----|---|-------|
| Claim of equivalent power ^(a) | - | If yes, equivalent power (W) | - |
| | | Chromaticity coordi- | 0,316 |
| | | nates (x and y) | 0,323 |
| Parameters for LED and OLED light sources: | | | |
| R9 colour rendering index value | -98 | Survival factor | - |
| the lumen maintenance factor | - | | |

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 21/08/2024



EPREL registration number: 2111335 https://eprel.ec.europa.eu/qr/21

11335

Supplier: GOVEE MOMENTS (DE) HANDEL GmbH (Auth

orised representative)

Website:

Customer care service:

Name: Chen Bing Website: 1st Floor Newmarket House,

Newmarket Square, The Coombe, Dub

lin 8, DUBLIN, Ireland, D08VAP9

Email: info@sunrisemoments.com Phone: +35314169660

Address:

1st Floor Newmarket House, Newmarket Square, The Coombe, Dublin 8, DUBLIN, Ireland, D08V

AP9