Product fiche pursuant to Delegated Regulation (EU) no. 65/2014

| Domestic Range Hoods | Answer | Units |
|--|-----------|--------------|
| Supplier's Name or Trade Mark | Candy | |
| | | |
| Model | CCE60NX | |
| | | |
| Annual Energy Consumption (AEC hood) in kWh/a | 36 | kWh per year |
| - m: | | |
| Energy efficiency class | С | |
| Fluid Dynamic Efficiency (FDE) | 9.5 | |
| Train Dynamic Emclency (FDE) | 9.5 | |
| Fluid Dynamic Efficiency (FDE) class | E | |
| That by the time cite (the best of the be | _ | |
| Lighting Efficiency (LE hood) in lux/Watt | 70 | lux/W |
| | | |
| Lighting efficiency class | A | |
| | | |
| Grease Filtering Efficiency | 79.6 | |
| | | |
| Grease Filtering Efficiency class | С | |
| | | . 6 |
| Air flow (in m 3 /h) at minimum and maximum speed in normal use, intensive or boost excluded | 188 / 305 | m3/h |
| | | |
| If available the air flow (in m3/h) at intensive or boost setting | | m3/h |
| if available the all flow (if fils/fi) at intensive of boost setting | | 1113/11 |
| Airborne acoustical A-weighted sound power emissions (dB(A)) at minimum and maximum speed | 56 / 62 | dB(A) |
| available in normal use | | 2=(: ', |
| | | |
| Airborne acoustical A-weighted sound power emissions (dB(A)) at intensive or boost setting | | dB(A) |
| | | |
| | | |
| Power consumption in off mode (P o), in Watt | 0 | W |
| | | |
| Power consumption in standby mode (P o), in Watt | | W |