

Product fiche pursuant to Delegated Regulation (EU) no. 65/2014

Domestic Range Hoods	Answer	Units
Supplier's Name or Trade Mark	HISENSE	
Model	CH6T4BXUK	
Annual Energy Consumption (AEC hood) in kWh/a	59.8	kWh per year
Energy efficiency class	C	
Fluid Dynamic Efficiency (FDE)	11.80%	
Fluid Dynamic Efficiency (FDE) class	E	
Lighting Efficiency (LE hood) in lux/Watt	40.5	lux/W
Lighting efficiency class	A	
Grease Filtering Efficiency	66.30%	
Grease Filtering Efficiency class	D	
Air flow (in m <sup>3</sup> /h) at minimum and maximum speed in normal use, intensive or boost excluded	290	m <sup>3</sup> /h
If available the air flow (in m <sup>3</sup> /h) at intensive or boost setting	412	m <sup>3</sup> /h
Airborne acoustical A-weighted sound power emissions (dB(A)) at minimum and maximum speed available in normal use	59	dB(A)
Airborne acoustical A-weighted sound power emissions (dB(A)) at intensive or boost setting	67	dB(A)
Power consumption in off mode (P <sub>o</sub> ), in Watt	-	W
Power consumption in standby mode (P <sub>o</sub> ), in Watt	-	W