

Product fiche pursuant to Delegated Regulation (EU) no. 2019/2014

Washing Machine	Answer
Supplier's name or trade mark:	Sharp
Supplier's address:	Vestel UK Ltd 1 Waterside Drive, Langley, Slough, Berks SL3 6EZ
Model identifier:	ES-NFB914AWC-EN
General product parameters:	
Parameter	N/A
Rated capacity (kg) (for the eco 40-60 programme.)	9
Dimensions H / W / D	84.5 x 59.7 x 58.2
EEI _w (for the eco 40-60 programme.)	69
Energy efficiency class (for the eco 40-60 programme.)	C
Washing efficiency index (for the eco 40-60 programme.)	1,04
Rinsing effectiveness (g/kg) (for the eco 40-60 programme.)	5
Energy consumption in kWh per cycle, based on the eco 40-60 programme. Actual energy consumption will depend on how the appliance is used.	0,66
Water consumption in litre per cycle, based on the eco 40-60 programme. Actual water consumption will depend on how the appliance is used and on the hardness of the water.	50
Maximum temperature inside the treated textile (for the eco 40-60 programme.)	44 / 33 / 24
Remaining moisture content (for the eco 40-60 programme.) (%)	53 / 53 / 53
Spin speed (for the eco 40-60 programme.) (rpm)	1400rpm
Spin-drying efficiency class (for the eco 40-60 programme.)	B
Programme duration (for the eco 40-60 programme.)	03:48 / 02:54 / 02:25
Type	Free-standing

Airborne acoustical noise emissions in the spinning phase (for the eco 40-60 programme.) (dB(A) re 1 pW)	77
Airborne acoustical noise emission class (for the eco 40-60 programme.) (spinning phase)	C
Off-mode (W)	0,5
Standby mode (W)	1
Delay start (W) (if applicable)	4
Networked standby (W) (if applicable)	N/A
Minimum duration of the guarantee offered by the supplier	2 Years Parts & Labour & 10 Years Motor Warranty
This product has been designed to release silver ions during the washing cycle	No
Additional information:	
Weblink to the supplier's website, where the information in point 9 of Annex II to Commission Regulation (EU) 2019/2023 is found	https://sharphomeappliances.com/eu-en/

Units

cm

kWh per cycle

Litres per cycle

Rated / Half / Quarter capacity (°C)

Rated / Half / Quarter capacity (%)

Rated / Half / Quarter capacity (rpm)

Rated / Half / Quarter capacity (h:min)

db(A)

W

W

W

W